

LENSPLUS LE-ADAPTER

Digital Camera Compatibility Chart

Criteria for choosing either the Std LE-Adapter or the 2 Plus LE-Adapter is the size of the eyepiece to which the camera will be attached. Choose the Std. LE-Adapter for eyepieces from 1/2" to 1 5/8" (12mm - 43mm) in diameter. For larger eyepieces between 1 3/8" to 2 5/16" (35mm- 60mm) in diameter the 2 Plus LE-Adapter will be required.

The following chart only contains information on the latest and most popular digital cameras on the market today. Many other or discontinued cameras will provide excellent results as well. Please review our Compatibility Page for additional information on camera criteria.

We have reviewed the specifications on these cameras and have determined they are compatible with our products.

CANON

MODEL	EFFECTIVE PIXELS	OPTICAL ZOOM (MM)	CAMERA LENS THREAD SIZE	STEP RING REQ.	REQUIRED ACCESSORIES	STANDARD LE-ADAPTER ITEM #	2 PLUS ADAPTER ITEM #
PowerShot Pro 1	8	28-200 (7)	58mm	Yes	Std. LE-Adapter - LensPlus Item #15852 2Plus LE-Adapter - LensPlus Items #15852 & #15237	11037	11237
G-3	3.9	35-140 (4x)	52mm with lens mount	Yes	Std. LE-Adapter - LensPlus Item # 17100 2Plus LE-Adapter - LensPlus Item #17100 & Item 15237.	11037	11237
G-5	5.0	35-140 (4x)	52mm with lens mount	Yes	Std. LE-Adapter - LensPlus Item # 17100 2Plus LE-Adapter - LensPlus Item #17100 & Item 15237.	11037	11237
EOS 1D	4.06				See Note 1 below		
EOS 1Ds	11				See Note 1 below		
EOS 10D	6.29				See Note 1 below		
EOS 300D	6.29				See Note 1 below		
Power Shot A-40	1.92	35-105 (3x)	52mm with lens mount	Yes	Std. LE-Adapter - Canon CLA 52C Lens Mount 2Plus LE-Adapter - Canon CLA 52C Lens Mount & LensPlus Item #15237	11037	11237
Power Shot A-60	3.14	35-105 (3x)	37mm with lens mount	Yes	Std. LE-Adapter - LensPlus Item # 17105 2Plus LE-Adapter - LensPlus Item # 17105	11037	11237
Power Shot A-80	3.9	38-114 (3x)	37mm with lens mount	Yes	Std. LE-Adapter - LensPlus Item # 17105 2Plus LE-Adapter - LensPlus Item # 17105	11037	11237
Power Shot A-95	5	38-114 (3x)	37mm with lens mount	Yes	Std. & 2 Plus LE-Adapters - *Req. BugEye Item #AD37A80 LensPlus Support Bar (Item #11200) Suggested	11037	11237

*Item can be purchased at: BugEye Digital, <http://www.bugeyedigital.com/>

Note 1 – In order to use our LE-Adapters on all the SLR, removable lens type digital cameras you will need to use a telephoto lens with a minimum focal length of 100mm (35mm equivalent). Since these lenses come in various different filter sizes you may need a step-up or step-down ring for attachment. Please check your filter size prior to ordering. Note that the 2Plus adapter only comes in 37mm lens thread configuration.

CASIO

MODEL	EFFECTIVE PIXELS	ZOOM (MM)	CAMERA LENS THREAD SIZE	STEP RING REQ.	REQUIRED ACCESSORIES	STANDARD LE-ADAPTER ITEM #	2 PLUS ADAPTER ITEM #
QV3500 EX	3.14	33-100 (3x)	52mm with lens mount	Yes	Std LE-Adapter - LensPlus Item #17110 2Plus LE-Adapter - Item #17110 & 15237	11037	11237
QV 4000	3.7	34-102 (3x)	52mm with lens mount	Yes	Std LE-Adapter - LensPlus Item #17110 2Plus LE-Adapter - Item #17110 & 15237	11037	11237
QV 5700	4.92	34-102 (3x)	52mm with lens mount	Yes	Std LE-Adapter - LensPlus Item #17110 2Plus LE-Adapter - Item #17110 & 15237	11037	11237

EPSON

MODEL	EFFECTIVE PIXELS	ZOOM (MM)	CAMERA LENS THREAD SIZE	STEP RING REQ.	REQUIRED ACCESSORIES	STANDARD LE-ADAPTER ITEM #	2 PLUS ADAPTER ITEM #
3100 Zoom	3.14	34-102 (3x)	49mm	Yes	Std LE-Adapter - LensPlus Item #14952 2Plus LE-Adapter - Item #14937	11037	11237

FUJIFILM

MODEL	EFFECTIVE PIXELS	ZOOM (MM)	CAMERA LENS THREAD SIZE	STEP RING REQ.	REQUIRED ACCESSORIES	STANDARD LE-ADAPTER ITEM #	2 PLUS ADAPTER ITEM #
S2Pro					See Note 1 below		
S602Z	3.1	35-210(6x)	52	Yes	Std LE-Adapter - LensPlus Item #17110 2Plus LE-Adapter - Item #17120 & 15237	11037	11237
4900Z	2.4	35-210(6x)	52	Yes	Std LE-Adapter - LensPlus Item #17110 2Plus LE-Adapter - Item #17120 & 15237	11037	11237
S5000Z	3.1	37-379 (10x)	55mm	Yes	Std LE-Adapter - LensPlus Item #15552 2Plus LE-Adapter - Item #15552 & 15237	11037	11237
6900Z	3.1	35-210(6x)	52	Yes	Std LE-Adapter - LensPlus Item #17110 2Plus LE-Adapter - Item #17120 & 15237	11037	11237
S7000Z	6.3	35-210(6x)	52	Yes	Std LE-Adapter - LensPlus Item #17110 2Plus LE-Adapter - Item #17120 & 15237	11037	11237

Note 1 – In order to use our LE-Adapters on all the SLR, removable lens type digital cameras you will need to use a telephoto lens with a minimum focal length of 100mm (35mm equivalent). Since these lenses come in various different filter sizes you may need a step-up or step-down ring for attachment. Please check your filter size prior to ordering. Note that the 2Plus adapter only comes in 37mm lens thread configuration.

NIKON

MODEL	EFFECTIVE PIXELS	ZOOM (MM)	CAMERA LENS THREAD SIZE	STEP RING REQ.	REQUIRED ACCESSORIES	STANDARD LE-ADAPTER ITEM #	2 PLUS ADAPTER ITEM #
990	3.14	38-115 (3X)	28mm	Yes	Std. & 2 Plus LE-Adapters - LensPlus Item # 12837	11037	11237
995	3.14	38-152 (4X)	28mm	Yes	Std. & 2 Plus LE-Adapters - LensPlus Item # 12837	11037	11237
4300	3.87	38-114 (3X)	37mm with lens mount	Yes	Std. & 2 Plus LE-Adapters - LensPlus Item # 17150	11037	11237
4500	3.87	38-155 (4.1X)	28mm	Yes	Std. & 2 Plus LE-Adapters - LensPlus Item # 12837	11037	11237
5000	4.92	28-85 (3X)	37mm with lens mount	Yes	Std. & 2 Plus LE-Adapters- *Req. BugEye Item #BOW-AD4637N. LensPlus Support Bar (Item #11200) Suggested	11037	11237
5400	5	28-116 (4.1X)	52mm with lens mount	Yes	Std.LE-Adapter- *Req. BugEye Item ZAL-RAY#RT5245NT LensPlus Support Bar (Item #11200) Suggested	11037	11237 Also Req. LensPlus Item 15237
5700	4.92	35-280 (8x)	52mm with lens mount	Yes	Std. LE-Adapter - LensPlus Item # 17152 2Plus LE-Adapter - LensPlus Item #17152 & Item 15237.	11037	11237
8700	8	35-280 (8x)	52mm with lens mount	Yes	Std. LE-Adapter - LensPlus Item # 17152 2Plus LE-Adapter - LensPlus Item #17152 & Item 15237.	11037	11237
D1	2.62				See Note 1 below		
D1X	5.89				See Note 1 below		
D1H	2.62				See Note 1 below		
D2H	4				See Note 1 below		
D100	6				See Note 1 below		
D70	6				See Note 1 below		
*Item can be purchased at: BugEye Digital, http://www.bugeyedigital.com/							

Note 1 – In order to use our LE-Adapters on all the SLR, removable lens type digital cameras you will need to use a telephoto lens with a minimum focal length of 100mm (35mm equivalent). Since these lenses come in various different filter sizes you may need a step-up or step-down ring for attachment. Please check your filter size prior to ordering. Note that the 2Plus adapter only comes in 37mm lens thread configuration.

OLYMPUS

MODEL	EFFECTIVE PIXELS	ZOOM (MM)	CAMERA LENS THREAD SIZE	STEP RING REQ.	REQUIRED ACCESSORIES	STANDARD LE-ADAPTER ITEM #	2 PLUS ADAPTER ITEM #
730UZ	2.95	38-380 (10x)	52mm with lens mount	Yes	Std. LE-Adapter - LensPlus Item # 17173 2Plus LE-Adapter - LensPlus Item #17173 & Item 15237.	11037	11237
740UZ	3.14	38-380 (10x)	52mm with lens mount	Yes	Std. LE-Adapter - LensPlus Item # 17173 2Plus LE-Adapter - LensPlus Item #17173 & Item 15237.	11037	11237

750UZ	3.9	38-380 (10x)	52mm with lens mount	Yes	Std. LE-Adapter- LensPlus Item # 17173 2Plus LE-Adapter- LensPlus Item #17173 & Item 15237.	11037	11237
C-2100Z	1.92	38-380 (10x)	49mm	Yes	Std LE-Adapter- LensPlus Item #14952 2Plus LE-Adapter- Item #14937	11037	11237
C-3040Z	3.14	35-105 (3x)	43mm with lens mount	Yes	Std. & 2 Plus Adapters -LensPlus Items # 17170 & # 14337	11037	11237
C-4040Z	3.9	35-105 (3x)	43mm with lens mount	Yes	Std. & 2 Plus Adapters -LensPlus Items # 17170 & # 14337	11037	11237
C-5050Z	4.92	35-105 (3x)	43mm with lens mount	Yes	Std. & 2 Plus Adapters -LensPlus Items # 17170 & # 14337	11037	11237
C-5060Z	5	27-110 (4x)	52mm with lens mount	Yes	Std. LE-Adapter- LensPlus Item # 17174 2Plus LE-Adapter- LensPlus Item #17174 & Item 15237.	11037	11237
C-8080	8	28-140 (5x)	58mm with lens mount	Yes	Std. LE-Adapter- LensPlus Item #15852 2Plus LE-Adapter- LensPlus Items #15852 & #15237	11037	11237
E-1	4.92				See Note 1 below		

Note 1 – In order to use our LE-Adapters on all the SLR, removable lens type digital cameras you will need to use a telephoto lens with a minimum focal length of 100mm (35mm equivalent). Since these lenses come in various different filter sizes you may need a step-up or step-down ring for attachment. Please check your filter size prior to ordering. Note that the 2Plus adapter only comes in 37mm lens thread configuration.

PANASONIC

MODEL	EFFECTIVE PIXELS	ZOOM (MM)	CAMERA LENS THREAD SIZE	STEP RING REQ.	REQUIRED ACCESSORIES	STANDARD LE-ADAPTER ITEM #	2 PLUS ADAPTER ITEM #
DMC FZ2	2	35-420 (12x)			Check lens filter size and order required step ring.	11037	11237
DMC FZ10	4	35-420 (12x)	52mm with lens mount	Yes	Std. LE-Adapter - LensPlus Item #17180 2Plus LE-Adapter - LensPlus Items #17180 & #15237	11037	11237
DMC FZ20	5	36-432 (12x)	52mm with lens mount	Yes	Std. LE-Adapter - LensPlus Item #17180 2Plus LE-Adapter - LensPlus Items #17180 & #15237	11037	11237
DMC F27	6	36-432 (12x)	Check with lens mount	Yes	Requires lens mount - check filter size for step ring prior to order	11037	11237

PENTAX

MODEL	EFFECTIVE PIXELS	ZOOM (MM)	CAMERA LENS THREAD SIZE	STEP RING REQ.	REQUIRED ACCESSORIES	STANDARD LE-ADAPTER ITEM #	2 PLUS ADAPTER ITEM #
*1ST	6.1				See Note 1 below		

Note 1 – In order to use our LE-Adapters on all the SLR, removable lens type digital cameras you will need to use a telephoto lens with a minimum focal length of 100mm (35mm equivalent). Since these lenses come in various different filter sizes you may need a step-up or step-down ring for attachment. Please check your filter size prior to ordering. Note that the 2Plus adapter only comes in 37mm lens thread configuration.

SIGMA

MODEL	EFFECTIVE PIXELS	ZOOM (MM)	CAMERA LENS THREAD SIZE	STEP RING REQ.	REQUIRED ACCESSORIES	STANDARD LE-ADAPTER ITEM #	2 PLUS ADAPTER ITEM #
SD10	3.43				See Note 1 below		

Note 1 – In order to use our LE-Adapters on all the SLR, removable lens type digital cameras you will need to use a telephoto lens with a minimum focal length of 100mm (35mm equivalent). Since these lenses come in various different filter sizes you may need a step-up or step-down ring for attachment. Please check your filter size prior to ordering. Note that the 2Plus adapter only comes in 37mm lens thread configuration.

SONY

MODEL	EFFECTIVE PIXELS	ZOOM (MM)	CAMERA LENS THREAD SIZE	STEP RING REQ.	REQUIRED ACCESSORIES	STANDARD LE-ADAPTER ITEM #	2 PLUS ADAPTER ITEM #
CD350	3.14	41-123 (3x)	37		None	11037	11237
CD500	5	34-102 (3x)	52mm with lens mount	Yes	Std. LE-Adapter - Sony Lens Mount 2Plus LE-Adapter - Sony Lens Mount and LensPlus Item #15237	11037	11237
FD88	1.2	34-270 (8x)	37	No	None	11037	11237
FD97	1.92	39-390 (10x)	52	No	None	11037	11237
FD100	1.2	37-111 (3x)	37	No	None	11037	11237
FD200	1.92	37-111 (3x)	37	No	None	11037	11237
DSC-F707	4.92	38-190 (5X)	58mm	Yes	Std. LE-Adapter - LensPlus Item #15852 2Plus LE-Adapter - LensPlus Items #15852 & #15237	11037	11237
DSC-F717	4.92	38-190 (5X)	58mm	Yes	Std. LE-Adapter - LensPlus Item #15852 2Plus LE-Adapter - LensPlus Items #15852 & #15237	11037	11237
DSC-F828	7.99	28-200 (7x)	58mm	Yes	Std. LE-Adapter - LensPlus Item #15852 2Plus LE-Adapter - LensPlus Items #15852 & #15237	11037	11237
DSC-H5	7.1	36-432 (12X)	58mm	Yes	Std. LE-Adapter - LensPlus Item #15852 2Plus LE-Adapter - LensPlus Items #15852 & #15237	11037	11237
DSC S85	3.92	34-102 (3x)	52mm with lens mount	Yes	Std. LE-Adapter - LensPlus Item #17160 2Plus LE-Adapter - LensPlus Item # 17160 & Item #15237	11037	11237
DSC V1	5	34-136 (4x)	52mm with lens mount	Yes	Std. LE-Adapter - LensPlus Item #17162 2Plus LE-Adapter - LensPlus Item # 17162 & Item #15237	11037	11237
DSC V3	7	34-136 (4x)	52mm with lens mount	Yes	Std. LE-Adapter - LensPlus Item #17162 2Plus LE-Adapter - LensPlus Item # 17162 & Item #15237	11037	11237
DSC W1	5	38-114(3x)	37mm with lens mount	Yes	Std. & 2 Plus LE-Adapters - LensPlus Item # 17164	11037	11237

If you have any questions on compatibility please email us at: info@lensadapter.com.

CAMERAS NOT COMPATIBLE WITH THE LENSPLUS LE-ADAPTERS

Digital cameras that do not have filter threads on their lens housing and no threaded lens mount is available.

Digital cameras that do not have sufficient focal length to prevent vignetting. A minimum of 100mm (35mm equivalent) telephoto focal length is required.

Specific Cameras that are not compatible with our products:

Canon G1

Canon G2

Minolta Dimage 7i

Minolta Dimage 7Hi

Nikon 8400